

COMPLIANCE AUDIT

For www.resultsonellc.com | Verdict: Compliant!

This audit evaluates the adherence level of **www.resultsonellc.com** as of Tue Mar 01 2022, to the "Web Content Accessibility Guidelines" (WCAG) 2.1 level AA success criteria.

Below you'll find the results for dozens of tests that focus mainly on 3 categories: **screen-reader** adjustments (for blind users), **keyboard navigation** adjustments (for the motor impaired) and **UI, design, and readability** adjustments (for the vision impaired).

#	Requirement	Relevant	Successes	Failures	Score
1	Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0".	Yes	10	0	100%

Code snapshots of some successful elements

```
<div class="elementor-element elementor-element-bc5099e elementor-widget element-or-widget-image " data-id="bc5099e" data-element_type="widget" data-widget_type="image.default" tabindex="0" role="button" data-acsb-textual-ops="enlarge"> <span dat a...
```

```
<div class="elementor-row " tabindex="0" role="button"> <div class="elementor-column elementor-col-100 elementor-inner-column elementor-element elementor-element-5a4806a box-title" data-id="5a4806a" data-element_type="column" data-settings="{&q uot...
```

```
<div class="elementor-element elementor-element-1260e20 elementor-widget element-or-widget-image " data-id="1260e20" data-element_type="widget" data-widget_type="image.default" tabindex="0" role="button" data-acsb-textual-ops="enlarge"> <span dat a...
```

```
<div class="elementor-row " tabindex="0" role="button"> <div class="elementor-column elementor-col-100 elementor-inner-column elementor-element elementor-element-67d84cd box-title" data-id="67d84cd" data-element_type="column" data-settings="{&quot;uot...
```

```
<div class="elementor-element elementor-element-2a1581d elementor-widget element-or-widget-image " data-id="2a1581d" data-element_type="widget" data-widget_type="image.default" tabindex="0" role="button" data-acssb-textual-ops="enlarge"> <span dat a...
```

```
<div class="elementor-row " tabindex="0" role="button"> <div class="elementor-column elementor-col-100 elementor-inner-column elementor-element elementor-element-cbf8731 box-title" data-id="cbf8731" data-element_type="column" data-settings="{&quot;ot...
```

```
<div class="elementor-element elementor-element-3b016f7 elementor-widget element-or-widget-image " data-id="3b016f7" data-element_type="widget" data-widget_type="image.default" tabindex="0" role="button" data-acssb-textual-ops="enlarge"> <span dat a...
```

```
<div class="elementor-row " tabindex="0" role="button"> <div class="elementor-column elementor-col-100 elementor-inner-column elementor-element elementor-element-c944477 box-title" data-id="c944477" data-element_type="column" data-settings="{&quot;uot...
```

```
<div class="elementor-element elementor-element-c527e8d elementor-widget element-or-widget-image " data-id="c527e8d" data-element_type="widget" data-widget_type="image.default" tabindex="0" role="button" data-acssb-textual-ops="enlarge"> <span dat a...
```

```
<div class="elementor-row " tabindex="0" role="button"> <div class="elementor-column elementor-col-100 elementor-inner-column elementor-element elementor-element-33a6d6c box-title" data-id="33a6d6c" data-element_type="column" data-settings="{&quot;ot...
```

100%

2 [Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused.](#)

Yes

Pass

-

3 [Active popups should include an "aria-](#)

No

0

0

-

modal" attribute that equals to "true", and a "role" attribute that equals to "dialog", so screen-reader users know how to navigate within it.

4	Every page should include hidden links that by clicking on them (either using keyboard navigation or a screen-reader), the user will "skip" certain blocks directly to main landmarks such as main content, menu or footer.	Yes	Pass	-	100%
5	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should be wrapped inside an element with an "aria-hidden" attribute that equals to "false", or include it directly, and have it dynamically changed to "true" when they become visible.	No	0	0	-
6	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should include a "tabindex" attribute that is below 0, and have it dynamically changed to 0 when they become visible.	No	0	0	-
7	Elements that behave as buttons but are built using other tags such as span, div, a or others, should include a "role" attribute that equals to "button".	Yes	16	0	100%

Code snapshots of some successful elements

```
<button class="elementor-search-form__submit " type="submit" aria-label="Search" role="button"> <i class="fas fa-search " aria-hidden="true" data-acsb-force-hidden="true"></i> <span class="elementor-screen-only " aria-hidden="false" data-acsb-force-hidden="true">
```

```
<a href="#" class="elementor-item elementor-item-anchor has-submenu " id="sm-16461694843064153-1" aria-controls="sm-16461694843064153-2" data-acsb-menu="a" role="button" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false">O...
```

```
<div class="elementor-element elementor-element-bc5099e elementor-widget element-or-widget-image " data-id="bc5099e" data-element_type="widget" data-widget_type="image.default" tabindex="0" role="button" data-acsb-textual-ops="enlarge"> <span dat a...
```

```
<div class="elementor-row " tabindex="0" role="button"> <div class="elementor-column elementor-col-100 elementor-inner-column elementor-element elementor-element-5a4806a box-title" data-id="5a4806a" data-element_type="column" data-settings="{&quot; uot...
```

```
<div class="elementor-element elementor-element-1260e20 elementor-widget element-or-widget-image " data-id="1260e20" data-element_type="widget" data-widget_type="image.default" tabindex="0" role="button" data-acsb-textual-ops="enlarge"> <span dat a...
```

```
<div class="elementor-row " tabindex="0" role="button"> <div class="elementor-column elementor-col-100 elementor-inner-column elementor-element elementor-element-67d84cd box-title" data-id="67d84cd" data-element_type="column" data-settings="{&quot; uot...
```

```
<div class="elementor-element elementor-element-2a1581d elementor-widget element-or-widget-image " data-id="2a1581d" data-element_type="widget" data-widget_type="image.default" tabindex="0" role="button" data-acsb-textual-ops="enlarge"> <span dat a...
```

```
<div class="elementor-row " tabindex="0" role="button"> <div class="elementor-column elementor-col-100 elementor-inner-column elementor-element elementor-element-cbf8731 box-title" data-id="cbf8731" data-element_type="column" data-settings="{&quot; ot...
```

```
<div class="elementor-element elementor-element-3b016f7 elementor-widget element-or-widget-image " data-id="3b016f7" data-element_type="widget" data-widget_type="image.default" tabindex="0" role="button" data-acsb-textual-ops="enlarge"> <span dat a...
```

```
<div class="elementor-row " tabindex="0" role="button"> <div class="elementor-column elementor-col-100 elementor-inner-column elementor-element elementor-element-c944477 box-title" data-id="c944477" data-element_type="column" data-settings="{&quot; uot...
```

8 [Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should](#)

Yes

16

0

100%

be used for that description.

Code snapshots of some successful elements

```
<button class="elementor-search-form__submit " type="submit" aria-label="Search" role="button"> <i class="fas fa-search " aria-hidden="true" data-acsb-force-hidden="true"></i> <span class="elementor-screen-only " aria-hidden="false" data-acsb-force-hidden="true">
```

```
<a href="#" class="elementor-item elementor-item-anchor has-submenu " id="sm-16461694843064153-1" aria-controls="sm-16461694843064153-2" data-acsb-menu="a" role="button" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false">O...
```

```
<div class="elementor-element elementor-element-bc5099e elementor-widget elementor-widget-image " data-id="bc5099e" data-element_type="widget" data-widget_type="image.default" tabindex="0" role="button" data-acsb-textual-ops="enlarge"> <span data-id="bc5099e" data-element_type="text" data-text="a...">
```

```
<div class="elementor-row " tabindex="0" role="button"> <div class="elementor-column elementor-col-100 elementor-inner-column elementor-element elementor-element-5a4806a box-title" data-id="5a4806a" data-element_type="column" data-settings="{&quot;title&quot;: &quot;O...&quot;}">
```

```
<div class="elementor-element elementor-element-1260e20 elementor-widget elementor-widget-image " data-id="1260e20" data-element_type="widget" data-widget_type="image.default" tabindex="0" role="button" data-acsb-textual-ops="enlarge"> <span data-id="1260e20" data-element_type="text" data-text="a...">
```

```
<div class="elementor-row " tabindex="0" role="button"> <div class="elementor-column elementor-col-100 elementor-inner-column elementor-element elementor-element-67d84cd box-title" data-id="67d84cd" data-element_type="column" data-settings="{&quot;title&quot;: &quot;O...&quot;}">
```

```
<div class="elementor-element elementor-element-2a1581d elementor-widget elementor-widget-image " data-id="2a1581d" data-element_type="widget" data-widget_type="image.default" tabindex="0" role="button" data-acsb-textual-ops="enlarge"> <span data-id="2a1581d" data-element_type="text" data-text="a...">
```

```
<div class="elementor-row " tabindex="0" role="button"> <div class="elementor-column elementor-col-100 elementor-inner-column elementor-element elementor-element-cbf8731 box-title" data-id="cbf8731" data-element_type="column" data-settings="{&quot;title&quot;: &quot;O...&quot;}">
```

```
<div class="elementor-element elementor-element-3b016f7 elementor-widget elementor-widget-image " data-id="3b016f7" data-element_type="widget" data-widget_type="image.default" tabindex="0" role="button" data-acsb-textual-ops="enlarge">
```

```
or-widget-image " data-id="3b016f7" data-element_type="widget" data-widget_type="i
mage.default" tabindex="0" role="button" data-acsb-textual-ops="enlarge"> <span dat
a...
```

```
<div class="elementor-row " tabindex="0" role="button"> <div class="elementor-colu
mn elementor-col-100 elementor-inner-column elementor-element elementor-element-c
944477 box-title" data-id="c944477" data-element_type="column" data-settings="{&q
uot...
```

9	Links should include text that is setting expectations to what page they are leading to. If empty links are used as layout wrapping elements, a screen-reader only text or an "aria-label" attribute should be used for that description.	Yes	18	0	100%
---	---	-----	----	---	------

Code snapshots of some successful elements

```
<a href="https://www.resultsonellc.com" data-acsb-scrape-url="https://resultsonellc.com
"> Home</a>
```

```
<a href="https://www.resultsonellc.com/about/" class="elementor-item " data-acsb-men
u="a" data-acsb-menu-root-link="true">About</a>
```

```
<a href="https://www.resultsonellc.com/contact-us/" class="elementor-item " data-acsb-
menu="a" data-acsb-menu-root-link="true">Contact us</a>
```

```
<a href="https://www.resultsonellc.com/news/" class="elementor-item " data-acsb-men
u="a" data-acsb-menu-root-link="true">News</a>
```

```
<a href="tel:+12022531580" ><span data-="" true" " aria-label=" Click to Call " aria-hidd
en="false" >Click to Call</span>202-253-1580</a>
```

```
<a href="https://www.resultsonellc.com" data-acsb-scrape-url="https://resultsonellc.com
"> <span data-="true" " aria-label=" Click to Call " aria-hidden="false" >Click to Call</span><strong >202.253.1580</strong></a>
```

```
<a href="https://www.resultsonellc.com/digital-accessibility-testing-training/" class="elementor-item " data-acsb-menu="a" data-acsb-menu-root-link="true" data-acsb-tooltip="Use ←/→ to navigate">Digital Accessibility Testing and Training</a>
```

```
<a href="https://www.resultsonellc.com/training/" class="elementor-item " data-acsb-menu="a" data-acsb-menu-root-link="true">Training Services</a>
```

10	Links that open in a new tab or a new window should either have an "aria-label" attribute or a screen-reader only element explaining to screen-readers that this opens in a new tab.	Yes	Pass	-	100%
----	--	-----	------	---	------

Code snapshots of some successful elements

```
<a href="https://ettebiz.com" target="_blank" rel="noopener" data-acsb-tooltip="New Window" ><span data-="true" " aria-label=" New Window " aria-hidden="false" >New Window</span>ETTE</a>
```

11	Carousels should include an "aria-label" attribute that equals to "carousel"/"slider" or something else that indicates the functionality, as well as be tagged as a landmark for screen-readers using a "role" tag that equals to "contentinfo".	No	0	0	-
----	--	----	---	---	---

12	Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers.	Yes	2	0	100%
----	---	-----	---	---	------

Code snapshots of some successful elements

```
<div class="elementor-swiper-button elementor-swiper-button-prev acsb-bg-image " role="button" aria-label="Previous slide" aria-hidden="false" tabindex="0" > <i class="icon-chevron-left" aria-hidden="true" data-acsb-force-hidden="true" ></i> <s...
```

```
<div class="elementor-swiper-button elementor-swiper-button-next acsb-bg-image " role="button" aria-label="Next slide" aria-hidden="false" tabindex="0" > <i class="icon-chevron-right" aria-hidden="true" data-acsb-force-hidden="true" ></i> <span...
```

13	A common accessibility mistake is to treat carousels as live regions using the "aria-live" attribute and the "polite" or the "assertive values. Using this practice will cause screen-readers to cut and skip announcements.	No	0	0	-
14	Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text.	No	0	0	-
15	Form fields should either include an "aria-label" attribute or a connected LABEL element describing the requirement of the field (email, phone, name, etc.).	Yes	Pass	-	100%

Code snapshots of some successful elements

```
<input placeholder="Search..." class="elementor-search-form__input" type="search" name="s" value="" aria-hidden="false" data-acsb-validation-uuid="arjgcyb7j4" data-acsb-field-visible="true" aria-invalid="false" aria-required="false" aria-label="S...
```

16	Form elements cannot have the same ID, or else their corresponding label will provide false information.	No	0	0	-
----	--	----	---	---	---

17	Required form fields should include an "aria-required" attribute that equals to "true" so blind users using screen-readers know their validation.	No	0	0	-
18	The validity status of every form element must be represented in the code at all times using the "aria-invalid" attributes and the "true/false" values, and change dynamically when the status changes.	No	0	0	-
19	aria-describedby and aria-labeledby attributes should be connected by ID to an element that either has text description or an "aria-label" attribute.	Yes	4	0	100%

Code snapshots of some successful elements

```
<ul class="sub-menu elementor-nav-menu--dropdown acsb-hidden " id="sm-16461694843064153-2" role="region" aria-hidden="true" aria-labelledby="sm-16461694843064153-1" data-acsb-menu="ul" data-acsb-dropdown="at41v3buasn9" aria-label="Submenu " > <li cla...
```

```
<ul class="sub-menu elementor-nav-menu--dropdown " id="sm-16461694843093604-2" role="group" aria-hidden="true" aria-labelledby="sm-16461694843093604-1" aria-expanded="false" > <li class="menu-item menu-item-type-post_type menu-item-object-page menu-i...
```

```
<ul class="sub-menu elementor-nav-menu--dropdown " id="sm-1646169484319607-2" role="group" aria-hidden="true" aria-labelledby="sm-1646169484319607-1" aria-expanded="false" > <li class="menu-item menu-item-type-post_type menu-item-object-page menu-ite...
```

```
<ul class="sub-menu elementor-nav-menu--dropdown " id="sm-16461694843217551-2" role="group" aria-hidden="true" aria-labelledby="sm-16461694843217551-1" aria-expanded="false" > <li class="menu-item menu-item-type-post_type menu-item-object-page menu-i...
```

20	All forms should have a submission button that is built as an input type "submit" or a "button" element, or	Yes	Pass	-	100%
----	---	-----	------	---	------

include a "role" tag that equals to "button". Buttons can be hidden if the form can be submitted using the Enter key.

Code snapshots of some successful elements

```
<form class="elementor-search-form" role="search" action="https://www.resultsonellc.com" method="get" data-acsb-form-uuid="aj0t4c2uoumh" data-acsb-form-type="search"> <div class="elementor-search-form__container " > <input placeholder="Search..." cl  
a...
```

21	Search forms should include a "role" tag that equals to "search" (or be wrapped by one) to indicate a search landmark for screen-readers.	Yes	Pass	-	100%
----	---	-----	------	---	------

Code snapshots of some successful elements

```
<form class="elementor-search-form" role="search" action="https://www.resultsonellc.com" method="get" data-acsb-form-uuid="aj0t4c2uoumh" data-acsb-form-type="search"> <div class="elementor-search-form__container " > <input placeholder="Search..." cl  
a...
```

22	Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute.	Yes	6	0	100%
----	--	-----	---	---	------

Code snapshots of some successful elements

```

```

```
 data-bbox="138 142 957 194"/>
```

```

```

```

```

23	Background images that are not just for decoration purposes and should have the same treatment as standard images and include a "role" attribute that equals to "img" and an alternative text description in an "aria-label" attribute.	No	0	0	-
----	---	----	---	---	---

24	Font icons, SVG or images that are being used as spacers, decorations or their purpose is already described by the content should include a "role" attribute that equals to "presentation" or "none".	Yes	22	0	100%
----	---	-----	----	---	------

Code snapshots of some successful elements

```
<i class="fas fa-search " aria-hidden="true" data-acsb-force-hidden="true" ></i>
```

```
<span class="sub-arrow" aria-hidden="true" data-acsb-force-hidden="true" ><i aria-hidden="true" data-acsb-force-hidden="true" ></i></span>
```

```
<i aria-hidden="true" data-acsb-force-hidden="true" ></i>
```

```
<span class="swiper-notification" aria-atomic="true" aria-hidden="true" data-acsb-force-hidden="true" ></span>
```

```
<span class="elementor-divider-separator" aria-hidden="true" data-acsb-force-hidden="true" > </span>
```

```
<i class="eicon-chevron-left" aria-hidden="true" data-acsb-force-hidden="true" ></i>
```

```
<i class="eicon-chevron-right" aria-hidden="true" data-acsb-force-hidden="true" ></i>
```

```
<i class="fab fa-facebook " aria-hidden="true" data-acsb-force-hidden="true" ></i>
```

```
<i class="fab fa-twitter " aria-hidden="true" data-acsb-force-hidden="true" ></i>
```

```
<i class="fab fa-linkedin " aria-hidden="true" data-acsb-force-hidden="true" ></i>
```

25	Figure elements that are used to display images should have a "role" attribute that equals to "none" and the image provide itself should provide the description using an "alt" attribute.	Yes	3	0	100%
----	--	-----	---	---	------

Code snapshots of some successful elements

```
<figure class="elementor-image-box-img" role="none">Results One LLC | Full service minority and woman owned consultant firm based i
n the District of Columbia.</title>
```

29	The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users.	Yes	Pass	-	100%
----	--	-----	------	---	------

Code snapshots of some successful elements

```
<html lang="en-US" id="acsb-light-contrast" class="acsb-light-contrast"><head> <bas
e href="https://www.resultsonellc.com"><meta name="aceClient" content="true"><m
eta name="aceToken" content="621e8d8a6e889dedbeeb40b5"><meta name="aceW
ebsite" content="..."
```

30	The meta viewport tag should allow vision impaired users to pinch-zoom at	Yes	Pass	-	100%
----	---	-----	------	---	------

least double the standard scaling using the user-scalable="yes" and maximum-scale={2 or higher} content strings.

Code snapshots of some successful elements

```
<meta name="viewport" content="width=device-width, initial-scale=1">
```

31	Landmarks such as main content and footer should be built using their corresponding HTML5 element or include a description using an "aria-label" attribute and a "role" tag that equals to "contentinfo" or "main". Landmarks such as search and navigation are tested in other sections.	Yes	3	0	100%
----	---	-----	---	---	------

Code snapshots of some successful elements

```
<div class="elementor-widget-wrap" data-acsb-main="true" role="main"> <div class="elementor-element elementor-element-8291aab elementor-widget elementor-widget-heading" data-id="8291aab" data-element_type="widget" data-widget_type="heading.default"> ...
```

```
<div data-elementor-type="footer" data-elementor-id="45" class="elementor elementor-45 elementor-location-footer" data-elementor-settings="" data-acsb-page-footer="true" role="contentinfo" aria-label="Footer"> <div class="elementor-section-wrap"> <...
```

32	Menus should either be built using the HTML5 "nav" element or include a "role" attribute that equals to "menu" or "navigation" to indicate a navigation landmark for screen-readers.	Yes	3	0	100%
----	--	-----	---	---	------

Code snapshots of some successful elements

```
<nav migration_allowed="1" migrated="0" class="elementor-nav-menu--main elementor-nav-menu__container elementor-nav-menu--layout-horizontal e--pointer-none" role="navigation" data-acsb-main-menu="true" aria-label="Main Menu"> <ul id="menu-1-87c
```

```
f3c1" ...
```

```
<nav migration_allowed="1" migrated="0" class="elementor-nav-menu--main element-or-nav-menu__container elementor-nav-menu--layout-vertical e--pointer-none" role="navigation" aria-label="Footer Menu"> <ul id="menu-1-3f4e19c" class="elementor-nav-menu s...
```

```
<nav migration_allowed="1" migrated="0" class="elementor-nav-menu--main element-or-nav-menu__container elementor-nav-menu--layout-vertical e--pointer-none" role="navigation" aria-label="Footer Menu (2)"> <ul id="menu-1-bc7e6fa" class="elementor-nav-me...
```

33	Menu items that have a dropdown menu include an "aria-haspopup" attribute that equals to "true".	Yes	Pass	-	100%
----	--	-----	------	---	------

Code snapshots of some successful elements

```
<a href="#" class="elementor-item elementor-item-anchor has-submenu " id="sm-16461694843064153-1" aria-controls="sm-16461694843064153-2" data-acsb-menu="a" role="button" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false">O...
```

34	Menu items that have a dropdown menu include an "aria-expanded" attribute that equals to "false" that changes to "true" and back when opening or closing the dropdown.	Yes	Pass	-	100%
----	--	-----	------	---	------

Code snapshots of some successful elements

```
<a href="#" class="elementor-item elementor-item-anchor has-submenu " id="sm-16461694843064153-1" aria-controls="sm-16461694843064153-2" data-acsb-menu="a" role="button" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false">O...
```

35	Tables that are being used as layout structures should include a "role"	No	0	0	-
----	---	----	---	---	---

attribute that equals to "presentation" to indicate to screen-readers that it is not really a table.

36	If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation".	No	0	0	-
37	Tables that are missing a THEAD row with TH elements, should include a "role" attribute that equals to "rowheader" on the TD elements of the TR that represents the visual table headings.	No	0	0	-
38	Font sizes should be at least 11px in size in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100%
39	Letter spacing should not be set to below -1px in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100%
40	Elements that have texts should meet a minimum contrast ratio of 4.5:1 between their foreground (usually text color) and background color.	Yes	52	0	100%

Code snapshots of some successful elements

```
<a href="https://www.resultsonellc.com/" aria-current="page" class="elementor-item elementor-item-active " data-acsb-menu="a" data-acsb-menu-root-link="true" data-acsb-tooltip="Use ←/→ to navigate">Home</a>
```

```
<a href="https://www.resultsonellc.com/about/" class="elementor-item " data-acsb-menu="a" data-acsb-menu-root-link="true">About</a>
```



```
<a href="#" class="elementor-item elementor-item-anchor has-submenu " id="sm-16461694843064153-1" aria-controls="sm-16461694843064153-2" data-acsb-menu="a" role="button" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false">O...
```

```
<a href="https://www.resultsonellc.com/contact-us/" class="elementor-item " data-acsb-menu="a" data-acsb-menu-root-link="true">Contact us</a>
```

```
<a href="https://www.resultsonellc.com/news/" class="elementor-item " data-acsb-menu="a" data-acsb-menu-root-link="true">News</a>
```

```
<div class="elementor-heading-title elementor-size-default ">Free Consultation, Call Now!</div>
```

```
<div class="elementor-slide-heading ">Getting the results you need</div>
```

```
<h3 class="elementor-image-box-title ">Customize</h3>
```

```
<span style="font-size:12.0pt;line-height:107%; font-family:"Arial",sans-serif;mso-fareast-font-family:Calibri;mso-fareast-theme-font: minor-latin;mso-ansi-language:EN-US;mso-fareast-language:EN-US;mso-bidi-language: AR-SA" >We customize al...
```

```
<h3 class="elementor-image-box-title ">Credibility & Experience</h3>
```

41	An H1 title provides information to blind-users using screen-readers of what the main topic of the page is and each page should have exactly one H1 title.	Yes	Pass	-	100%
----	--	-----	------	---	------

Code snapshots of some successful elements

```
<h1 class="elementor-heading-title elementor-size-default axq4nr6rvpa" >Full service minority and woman owned consultant firm based in the District of Columbia. </h1>
```

42	HTML title elements (H1-6) should	Yes	15	0	100%
----	-----------------------------------	-----	----	---	------

have texts. If images or links are used, they should include an alternative or screen-reader only text.

43	Elements that visually appear as titles but are coded with a non-heading HTML Tag should include a "role" attribute that equals to "heading" or have their tags fixed.	No	0	0	-
44	Title levels should not be skipped and should be built with consistent hierarchy. For example: you cannot have "h4" titles and "h2" titles without having "h3" titles.	No	0	0	-
45	Visually deleted texts (often used to show a previous price of a sale) should include an "aria-label" attribute or a screen-reader only text that explains this is deleted text.	No	0	0	-
46	Breadcrumbs main element should include a "role" attribute that equals to "navigation" and an "aria-label" attribute that describes the functionality."	No	0	0	-
47	Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate.	No	0	0	-
48	Making use of an accessibility interface helps to ensure that vision impaired users can adjust some of the UI and the design (font-size, colors, spacing, etc.) to their needs. It is not a compliance requirement, but can help to improve compliance.	Yes	Pass	-	100%
49	Iframe elements should include a	No	0	0	-

"title" or an "aria-label" attribute explaining the purpose, the functionality or the destination of the iframe, or be tagged hidden for screen-readers if irrelevant.